

Available Responses

GET `/:site_number/connections/:connection_type_id/responses`

Returns the available responses the connection may use to complete the assignment.

Example

`https://secure.accessacs.com/api_accessacs_mobile/v2/12345/connections/1234/responses`

Required Permissions

The user must fall into one of the categories below:

- System Administration
- A user with the following rights:
 - Ability to add connections
 - Full rights to at least one Connection Type

Request Header

Basic Authorization is used to determine security rights for the user credentials supplied using the following parameters.

username: "jadams"

password: "password231"

URL Parameters

site_number – The site number to gather data for.

connection_type_id – The connection id for the type of connection you are responding to. Values from [Connection Type API](#).

Return Data

```
[
  {
    "RespID": 1,
    "Resp_Desc": "Interested in Pastor Contact"
  },
  {
    "RespID": 4,
    "Resp_Desc": "C-New in Town"
  },
  {
    "RespID": 8,
    "Resp_Desc": "Interested in Choir"
  },
  {
    "RespID": 10,
    "Resp_Desc": "Attended Bible Study"
  },
  {
    "RespID": 17,
    "Resp_Desc": "Attended Late Service"
  },
  {
    "RespID": 23,
    "Resp_Desc": "Interested in our Church"
  },
]
```